



Warranty period for chairs and lounges



Weight rating for individual chairs and lounges*



Fully imported Chairs, lounges, parts and components.



The Performance criteria adopted for certification by Furntech is based on Australian standards, e.g. Level 6 - Severe commercial and heavy industrial.*

*Weight limits are self-rated by Style Ergonomic Australia. AFRDI approved chairs are normally rated to 110kg.



ARFDI rating for multi shift use and 160kg weight limit.



Furntech is an independent not-for-profit technical organisation providing standards, testing product certification and research for buyers and sellers of furniture.



BIFMA is a third-party certification program that provides manufacturers with valuable feedback for evaluating the environmental, human, and social impacts of their furniture products for manufacturing, facility, and organisation.



All instructions of use are instructed while sitting in the chair.

CONTENTS

Stanza range......48

R1- TASK MESH SEATING	R5 - EXECUTIVE MESH SEATING	R7 - HOSPITALITY SEATING
Intro range4	Gibbs range50	Focus range92
Yarra range6	Draft range52	Aria range94
Rio range8	Bolt range54	Pod range95
Hino range10	Miami range56	Vinn range96
Fuse range12	Bragg range58	Neo range98
Brent range14	Kube range60	Rose range99
R2-TASK SEATING	Razor range62	R8 - BREAKOUT SEATING
P350 range16	Mitz range64	Raven range100
Aqua range18	lvory range66	Mia range101
TR600 range20	Baxter range68	Tonic range102
Spot range22	Evita range70	Oscar range103
Newton range24	Zodiac range72	Ram range104
R3 - BOARDROOM SEATING	Ergo-1 range74	Nox range105
Trent range26	R6 - EXECUTIVE SEATING	R9 - SOFT SEATING
Dela range28	Hilton range76	Blitz range106
Gala range30	Cruz range78	Rivet range107
Web range32	Boston range80	Jaden range108
Volt range34	Camry range82	Plaza range109
	Siena range84	
R4 - MULTI SHIFT SEATING	Select range86	R10 - INDUSTRIAL STOOLS
Rover range36	Magnum range88	State range110
Oyster range38	Captain range90	Cad range112
Ranger range40	, J	Stage range113
Impact range42		
Raptor range44		
Corsa range46		

INTRO RANGE

INSTRUCTION OF USE

INDOOR USE ONLY

LEVER

Twist to adjust seat height Pull to adjust seat and back angle

600MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles
Use hard tyred castors for carpet

FRONT KNOB

To adjust weight tension

X Do not use as a step ladder

DIMENSIONS: (mm)


 BACK
 BACK TO FLOOR
 SEAT
 SEAT TO FLOOR
 ARM TO FLOOR

 W: 490
 Lowest: 910
 W: 490
 Lowest: 480
 Lowest: 625

 H: 430
 Highest: 1005
 D: 480
 Highest: 575
 Highest: 720







Fixed arms
Butterfly mechanism
600mm black nylon 5 star base

Available in black only
Suitable for indoor use only

YARRA RANGE

INSTRUCTION OF USE



RIGHT BACK LEVER

To adjust back angle

RIGHT MIDDLE LEVER

To adjust seat angle

RIGHT FRONT LEVER

To adjust seat height

600MM BLACK NYLON STAR BASE WITH CASTORS

Use soft tyred castors for tiles Use hard tyred castors for carpet



X Do not use as a step ladder

DIMENSIONS: (mm)


 BACK
 BACK TO FLOOR
 SEAT
 SEAT TO FLOOR
 ARM TO FLOOR

 W: 490
 Lowest: 950
 W: 500
 Lowest: 470
 Lowest: 620

 H: 510
 Highest: 1050
 D: 515
 Highest: 570
 Highest: 720








Fixed arms
3 lever ergonomic mechanism
600mm black nylon 5 star base

Available in black only Suitable for indoor use only

RIO RANGE

INSTRUCTION OF USE



Use soft tyred castors for tiles

X Do not use as a step ladder

LOW BACK	LOW BACK TO FLOOR	HIGH BACK	HIGH BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 430	Lowest: 925	W: 455	Lowest: 1010	W: 500	Lowest: 485	Lowest: 630
H: 450	Highest: 1120	H: 530	Highest: 1210	D: 460	Highest: 625	Highest: 840



Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Moulded seat foam
Java seat


3 lever ergonomic mechanism 600mm black nylon 5 star base Available in Metro black only AFRDI tested to level 6 Suitable for indoor use only



Optional drafting kit

HINO RANGE

INSTRUCTION OF USE



X Do not use as a step ladder

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 450	Lowest: 1025	W: 560	Lowest: 520	Lowest: 665
H: 530	Highest: 1150	D: 510	Highest: 600	Highest: 830



Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Adjustable weight tension

Moulded seat foam Mega big boy seat 3 lever heavy duty ergonomic mechanism 700mm black nylon 5 star base Available in Metro black only AFRDI tested to level 6 Suitable for indoor use only

FUSE RANGE

INSTRUCTION OF USE

To adjust back height hold back INDOOR USE ONLY with two hands while seated and raise to desired height To lower the back heiaht raise back all the way to the top and release slowly **OPTIONAL ADJUSTABLE ARMS** RIGHT BACK LEVER To adjust back angle LEFT LEVER **RIGHT MIDDLE LEVER** To adjust seat depth To adjust seat angle (Build-in seat slider) **RIGHT FRONT LEVER FRONT KNOB** To adjust seat height To adjust weight tension **700MM BLACK NYLON 5 STAR BASE** WITH CASTORS Use soft tyred castors for tiles

Use hard tyred castors for carpet

X Do not use as a step ladder

DIMENSIONS: (mm)

BACK BACK TO FLOOR SEAT **SEAT TO FLOOR ARM TO FLOOR** W: 490 Lowest: 1070 W: 530 Lowest: 535 Lowest: 685 H: 465 Highest: 1225 Highest: 615 Highest: 830 D: 465



Adjustable seat height
Adjustable back height (ratchet)
Adjustable back and seat angle
Adjustable weight tension


Adjustable seat depth (build-in seat slider) Moulded seat foam Big boy seat

3 lever ergonomic heavy duty mechanism

700mm black nylon 5 star base Available in Metro black only AFRDI tested to level 6 Suitable for indoor use only

BRENT RANGE

INSTRUCTION OF USE




BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 490	Lowest: 1055	W: 530	Lowest: 535	Lowest: 685
H: 525	Highest: 1210	D: 465	Highest: 615	Highest: 830



Adjustable seat height
Adjustable back height (ratchet)
Adjustable back and seat angle
Adjustable weight tension
Adjustable seat depth (build-in seat slider)

Adjustable lumbar support
Moulded seat foam
Big boy seat
3 lever ergonomic heavy duty mechanism

700mm black nylon 5 star base Available in Metro black only AFRDI tested to level 6 Suitable for indoor use only



X Do not use as a step ladder

DIMENSIONS: (mm)

LOW BACK LOW BACK TO FLOOR HIGH BACK **HIGH BACK TO FLOOR** SEAT **SEAT TO FLOOR ARM TO FLOOR** W: 440 Lowest: 860 W: 450 Lowest: 950 W:500 Lowest: 480 Lowest: 630 H: 400 Highest: 1045 H: 510 Highest: 1150 Highest: 625 Highest: 840 D: 460



Adjustable seat height
Adjustable back height
Adjustable seat and back angle
Moulded seat and back foam
Java seat

3 lever ergonomic mechanism 600mm black nylon 5 star base Available in Metro black only AFRDI tested to level 6 Suitable for indoor use only












Optional drafting kit

AQUA RANGE

INSTRUCTION OF USE



X Do not use as a step ladder

LOW BACK	LOW BACK TO FLOOR	HIGH BACK	HIGH BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 460	Lowest: 850	W: 470	Lowest: 950	W: 500	Lowest: 485	Lowest: 630
H: 440	Highest: 1060	H: 540	Highest: 1170	D: 460	Highest: 625	Highest: 840



Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Moulded seat and back foam
Java seat

3 lever ergonomic mechanism 600mm black nylon 5 star base Available in Metro black only AFRDI tested to level 6 Suitable for indoor use only










Optional drafting kit

TR600 RANGE

INSTRUCTION OF USE



X Do not use as a step ladder

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 490	Lowest: 1080	W: 560	Lowest: 520	Lowest: 665
H: 580	Highest: 1240	D: 510	Highest: 600	Highest: 830




Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Adjustable weight tension

Moulded seat and back foam Mega big boy seat 3 lever heavy duty ergonomic mechanism 700mm black nylon 5 star base Available in Metro black only AFRDI tested to level 6 Suitable for indoor use only

SPOT RANGE

INSTRUCTION OF USE



X Do not use as a step ladder

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 460	Lowest: 1025	W: 560	Lowest: 520	Lowest: 665
H: 560	Highest: 1165	D: 510	Highest: 600	Highest: 830



Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Adjustable weight tension

Moulded seat and back foam
Mega big boy seat
3 lever heavy duty ergonomic mechanism
700mm black nylon 5 star base

Available in Metro black only AFRDI tested to level 6 Suitable for indoor use only

NEWTON RANGE

INSTRUCTION OF USE

To adjust back height hold back INDOOR USE ONLY with two hands while seated and raise to desired height To lower the back height raise back all the way to the top and release slowly **OPTIONAL ADJUSTABLE ARMS RIGHT BACK LEVER** To adjust back angle **RIGHT MIDDLE LEVER** To adjust seat angle **FRONT KNOB RIGHT FRONT LEVER** To adjust weight tension To adjust seat height

700MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles Use hard tyred castors for carpet

X Do not use as a step ladder

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOF
W: 500	Lowest: 1045	W: 560	Lowest: 520	Lowest: 665
H: 550	Highest: 1200	D: 510	Highest: 600	Highest: 830




Adjustable seat height
Adjustable back height (ratchet)
Adjustable seat and back angle
Adjustable weight tension

Moulded seat and back foam Mega big boy seat 3 lever heavy duty ergonomic mechanism 700mm black nylon 5 star base

Available in Metro black only AFRDI tested to level 6 Suitable for indoor use only

TRENT RANGE

INSTRUCTION OF USE



Pull to adjust seat and back angle

Twist to adjust seat height

630MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles Use hard tyred castors for carpet

X Do not use as a step ladder

DIMENSIONS: (mm)

 BACK
 BACK TO FLOOR
 SEAT
 SEAT TO FLOOR
 ARM TO FLOOR

 W: 475
 Lowest: 940
 W: 500
 Lowest: 460
 Lowest: 635

 H: 500
 Highest: 1035
 D: 490
 Highest: 555
 Highest: 795

LEVER



Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension

Adjustable arms
Butterfly mechanism
630mm black nylon 5 star base

Available in black only Suitable for indoor use only

DELA RANGE

INSTRUCTION OF USE

INDOOR USE ONLY

RIGHT LEVER

To adjust seat height

620MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles Use hard tyred castors for carpet

LEFT LEVER

To adjust seat and back angle

FRONT KNOB

To adjust weight tension

 \boldsymbol{x} Do not use as a step ladder

DIMENSIONS: (mm)

 BACK
 BACK TO FLOOR
 SEAT
 SEAT TO FLOOR
 ARM TO FLOOR


 W: 485
 Lowest: 990
 W: 510
 Lowest: 450
 Lowest: 660

 H: 570
 Highest: 1090
 D: 480
 Highest: 550
 Highest: 760



Adjustable seat height Adjustable seat and back angle Adjustable weight tension Lumbar support Knee tilt mechanism with 3 locking positions 620mm black nylon 5 star base Available in black only Suitable for indoor use only

GALA RANGE



DIMENSIONS: (mm)

 BACK
 BACK TO FLOOR
 SEAT
 SEAT TO FLOOR
 ARM TO FLOOR


 W: 500
 Lowest: 960
 W: 505
 Lowest: 460
 Lowest: 680

 H: 510
 Highest: 1030
 D: 480
 Highest: 530
 Highest: 750



Adjustable seat height Adjustable seat and back angle Adjustable weight tension Knee tilt mechanism with 3 locking positions 660mm black nylon 5 star base

Available in black only Suitable for indoor use only



X Do not use as a step ladder

DIMENSIONS: (mm)

 BACK
 BACK TO FLOOR
 SEAT
 SEAT TO FLOOR
 ARM TO FLOOR

 W: 445
 Lowest: 940
 W: 510
 Lowest: 475
 Lowest: 695

 H: 460
 Highest: 1000
 D: 440
 Highest: 535
 Highest: 755



Adjustable seat height Adjustable seat and back angle Adjustable weight tension Knee tilt mechanism with 3 locking positions 700mm aluminium 5 star base

Available in black PU only Suitable for indoor use only

VOLT RANGE

INSTRUCTION OF USE

INDOOR USE ONLY

RIGHT KNOB

To adjust weight tension

INNER RIGHT LEVER

To adjust seat height

660MM HEAVY DUTY BLACK ALUMINIUM 5 STAR BASE WITH CASTORS

> Use soft tyred castors for tiles Use hard tyred castors for carpet



X Do not use as a step ladder

DIMENSIONS: (mm)

 BACK
 BACK TO FLOOR
 SEAT
 SEAT TO FLOOR
 ARM TO FLOOR

 W: 530
 Lowest: 940
 W: 500
 Lowest: 460
 Lowest: 690

 H: 480
 Highest: 990
 D: 450
 Highest: 510
 Highest: 740



Adjustable seat height Adjustable seat and back angle Adjustable weight tension Black powder coated frame

Knee tilt mechanism with 3 locking positions 660mm heavy duty black aluminium base Available in terracotta, tan and black PU only Suitable for indoor use only

COLOUR









TA-TAN **BL-BLACK TERRACOTTA**

ROVER RANGE


INSTRUCTION OF USE

To adjust back heiaht hold back INDOOR USE ONLY with two hands while seated and raise to desired height To lower the back height raise back all the way to the top **ADJUSTABLE ARMS** and release slowly **RIGHT FOURTH LEVER** To adjust back angle **RIGHT THIRD LEVER** To adjust seat anale RIGHT SECOND LEVER **FRONT KNOB** To adjust seat height To adjust weight tension **RIGHT FRONT LEVER** To adjust seat front angle **700MM BLACK NYLON 5 STAR BASE WITH CASTORS** Use soft tyred castors for tiles Use hard tyred castors for carpet **X** Do not use as a step ladder

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOF
W: 500	Lowest: 1095	W:510	Lowest: 480	Lowest: 640
H: 630	Highest: 1260	D: 520	Highest: 570	Highest: 790



Features:



Adjustable arms

Moulded seat and back foam

4 lever ergonomic mechanism

700mm black nylon 5 star base Available in black leather only Suitable for indoor use only

OYSTER RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height To lower the back height raise back all the way to the top and release slowly (LOW BACK ONLY)

RIGHT BACK KNOB

To adjust seat depth (seat slider)

RIGHT BACK LEVER

To adjust back angle

RIGHT MIDDLE LEVER

To adjust seat angle

RIGHT FRONT LEVER

To adjust seat height

700MM ALUMINIUM 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles Use hard tyred castors for carpet

MFDIIIM



DIMENSIONS: (mm)

		MILDIOM			IIIOII DAGK			
BACK	BACK TO FLOOR	BACK	BACK TO FLOOR	HEADREST	TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W:500	Lowest: 910	W:500	Lowest: 1040	W: 345	Lowest: 1180	W:500	Lowest: 480	Lowest: 660
H: 500	Highest: 1045	H: 660	Highest: 1130	H: 170	Highest: 1360	D: 470	Highest: 570	Highest: 810

HIGH BACK

IOW


* Please note that the Headrest should not be used to manoeuvre the chair.



Features:


Adjustable seat height
Adjustable back height (ratchet)
(Available in low back only)
Adjustable seat and back angle

Adjustable seat depth (seat slider) Adjustable arms Moulded seat foam 4 lever ergonomic mechanism 700mm aluminium 5 star base Available in black only Suitable for indoor use only



DIMENSIONS: (mm)

BACK WITH HEADREST HEADREST TO FLOOR SEAT TO FLOOR ARM TO FLOOR SEAT W:515 Lowest: 525 Lowest: 700 W: 475 Lowest: 1230 H: 720 D: 540 Highest: 1350 Highest: 645 Highest: 920






Adjustable seat height
Adjustable seat and back angle
Foward seat tilt adjustment
Adjustable seat depth (seat slider)
Adjustable weight tension
Adjustable arms

Adjustable headrest
Moulded seat and back foam
Saddle seat
Synchron mechanism with 3 locking positions
720mm aluminium 5 star base


Brake castors
Available in black and grey only
AFRDI tested to level 6
AFRDI tested to multi shift use 160kg
Suitable for indoor use only



BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 475	Lowest: 1060	W: 260	Lowest: 1240	W: 540	Lowest: 505	Lowest: 675
H: 615	Highest: 1180	H: 180	Highest: 1360	D: 490	Highest: 625	Highest: 875








Adjustable lumbar support
Adjustable arms
Moulded seat and back foam
Saddle seat
Synchron mechanism with 3 locking positions

720mm aluminium 5 star base Brake castors Available in black fabric only AFRDI tested to level 6 Suitable for indoor use only



BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 475	Lowest: 1060	W: 265	Lowest: 1195	W:540	Lowest: 500	Lowest: 680
H: 615	Highest: 1160	H: 170	Highest: 1340	D: 490	Highest: 600	Highest: 860

* Please note that the Headrest should not be used to manoeuvre the chair.







RAPTOR-H

RAPTOR-L











Features:


Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable weight tension
Adjustable lumbar support

Adjustable headrest
Adjustable arms
Moulded seat and back foam
Saddle seat
Synchron mechanism with 3 locking positions

720mm aluminum 5 star base Brake castors Available in black leather only AFRDI tested to level 6 Suitable for indoor use only

CORSA RANGE

INSTRUCTION OF USE



INNER RIGHT LEVERTo adjust seat height

RIGHT KNOB

KIGHI KNOD

To adjust weight tension

750MM BLACK ALUMINUM 6 STAR BASE WITH BRAKE CASTORS -

Use soft tyred castors for tiles Use hard tyred castors for carpet


X Do not use as a step ladder

DIMENSIONS: (mm)

BACK BACK TO FLOOR HEADREST HEADREST TO FLOOR SEAT **SEAT TO FLOOR ARM TO FLOOR** W:540 Lowest: 1110 W: 270 Lowest: 1290 Lowest: 525 Lowest: 730 W:535 Highest: 1200 Highest: 1380 Highest: 615 Highest: 820 H: 695 H: 165 D: 460








Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable weight tension
Adjustable headrest

Lockable incline, fold-back armrests
Moulded seat and back foam
Saddle seat
Synchron mechanism with 3 locking positions
750mm black aluminum 6 star base

Brake castors Available in black leather only Suitable for indoor use only



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK BACK TO FLOOR HEADREST HEADREST TO FLOOR SEAT SEAT TO FLOOR **ARM TO FLOOR** W:550 Lowest: 1090 W: 260 Lowest: 1275 W: 610 Lowest: 500 Lowest: 735 H: 590 Highest: 1180 Highest: 1375 Highest: 600 Highest: 835 H: 200 D: 410



Features:

* Style rated multi shift use 230KG

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable weight tension
Adjustable headrest

Lockable incline, fold-back armrests
Back made of metal construction
Independant back angle adjustment
Moulded seat and back foam
Synchron mechanism with 3 locking positions

750mm black aluminum 6 star base Brake castors Available in black automotive leather only Suitable for indoor use only

GIBBS RANGE

INSTRUCTION OF USE

INDOOR USE ONLY

2-WAY ADJUSTABLE ARMS

RIGHT LEVER

Lift up to adjust seat height
Pull out to adjust
back and seat angle
Push in to lock the angle

700MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles Use hard tyred castors for carpet

FRONT KNOB


To adjust weight tension

X Do not use as a step ladder

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 490	Lowest: 990	W: 500	Lowest: 460	Lowest: 650
H: 560	Highest: 1090	D: 510	Highest: 560	Highest: 835









2-Way adjustable arms Lumbar support Butterfly mechanism 700mm black nylon 5 star base Available in black only Suitable for indoor use only

DRAFT RANGE



BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 480	Lowest: 950	W: 500	Lowest: 460	Lowest: 655
H: 520	Highest: 1035	D: 520	Highest: 545	Highest: 810








Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable arms

Adjustable lumbar Auto weight tensioning Synchron mechanism with 3 locking positions 640mm black nylon 5 star base Available in black only Suitable for indoor use only



BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 440	Lowest: 940	W: 250	Lowest: 1130	W: 500	Lowest: 430	Lowest: 595
H: 510	Highest: 1140	H: 170	Highest: 1260	D: 495	Highest: 530	Highest: 750








Adjustable seat height Adjustable seat and back angle Adjustable seat depth (seat slider) Adjustable arms

Adjustable lumbar support Auto weight tensioning Synchron mechanism with 3 locking positions 670mm black nylon 5 star base Available in black only Suitable for indoor use only



BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W:500	Lowest: 1025	W:300	Lowest: 1095	W: 520	Lowest: 465	Lowest: 660
H: 585	Highest: 1100	H: 150	Highest: 1270	D: 500	Highest: 550	Highest: 745











Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Active lumbar

Adjustable arms
Auto weight tensioning
Synchron mechanism with 3 locking positions
650mm black nylon 5 star base

Available in black only Suitable for indoor use only

OPTIONAL BRAGG RANGE ADJUSTABLE INDOOR USE ONLY **HEADREST INSTRUCTION OF USE INNER LEFT LEVER** To adjust seat depth (seat slider) LEFT LEVER **ADJUSTABLE ARMS** To adjust seat and back angle **RIGHT LEVER** To adjust seat height 640MM BLACK HIGH ARCH 5 STAR **BASE WITH CASTORS**

DIMENSIONS: (mm)

Use soft tyred castors for tiles Use hard tyred castors for carpet


SEAT TO FLOOR ARM TO FLOOR **BACK BACK TO FLOOR HEADREST HEADREST TO FLOOR** SEAT Lowest: 1075 W: 470 W:320 Lowest: 1210 W:510 Lowest: 495 Lowest: 660 H: 650 Highest: 1150 H: 190 Highest: 1370 D: 510 Highest: 570 Highest: 810

X Do not use as a step ladder










Auto weight tensioning Synchron mechanism with 3 locking positions 640mm black high arch 5 star base Available in black only Suitable for indoor use only

KUBF RANGE

INSTRUCTION OF USE



670MM BLACK NYLON 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles Use hard tyred castors for carpet


X Do not use as a step ladder

DIMENSIONS: (mm)


BACK BACK TO FLOOR HEADREST HEADREST TO FLOOR SEAT SEAT TO FLOOR **ARM TO FLOOR** W: 470 Lowest: 1010 W:360 Lowest: 1190 Lowest: 450 Lowest: 640 W: 490 H: 590 Highest: 1090 Highest: 1260 Highest: 530 Highest: 775 H: 170 D: 490








Adjustable lumbar 3-Way adjustable arms Synchron mechanism with 3 locking positions 670mm black nylon 5 star base



RAZOR RANGE

INSTRUCTION OF USE



X Do not use as a step ladder

ADJUSTABLE LUMBAR

RIGHT LEVER

To adjust seat height

645MM HIGH ARCH BASE WITH CASTORS

Use soft tyred castors for tiles Use hard tyred castors for carpet

BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W:510	Lowest: 1180	W:500	Lowest: 470	Lowest: 680
H: 710	Highest: 1240	D: 505	Highest: 530	Highest: 745



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable lumbar
Adjustable arms

Auto weight tensioning Big boy seat


Memory seat foam

Synchron mechanism with 3 locking positions

645mm black nylon 5 star base Available in black only Suitable for indoor use only

MITZ RANGE

INSTRUCTION OF USE



To adjust seat height

645MM HIGH ARCH BASE WITH CASTORS

Use soft tyred castors for tiles Use hard tyred castors for carpet

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 520	Lowest: 1060	W:320	Lowest: 1210	W:515	Lowest: 470	Lowest: 645
H: 570	Highest: 1180	H: 150	Highest: 1330	D: 480	Highest: 590	Highest: 720



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable lumbar
Adjustable arms

Auto weight tensioning Big boy seat


Memory seat foam

Synchron mechanism with 3 locking positions

645mm black nylon 5 star base Available in black only Suitable for indoor use only

IVORY RANGE

INSTRUCTION OF USE



3-WAY ADJUSTABLE ARMS

RIGHT LEVER

To adjust seat height

620MM GREY NYLON BASE WITH CASTORS

Use soft tyred castors for tiles Use hard tyred castors for carpet

X Do not use as a step ladder


DIMENSIONS: (mm)

SEAT TO FLOOR ARM TO FLOOR **BACK BACK TO FLOOR HEADREST HEADREST TO FLOOR** SEAT Lowest: 655 W: 470 Lowest: 1060 W:320 Lowest: 1075 W:510 Lowest: 485 H: 650 Highest: 1150 H: 190 Highest: 1325 D: 510 Highest: 575 Highest: 820



Features:

Adjustable seat height Adjustable seat and back angle Adjustable seat depth (seat slider) 3-Way adjustable arms Auto weight tensioning Synchron mechanism with 3 locking positions 620mm grey nylon 5 star base Available in grey only Suitable for indoor use only




BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 475	Lowest: 1025	W:330	Lowest: 1130	W:500	Lowest: 470	Lowest: 670
H: 585	Highest: 1120	H: 200	Highest: 1385	D: 510	Highest: 565	Highest: 830



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable weight tension

Adjustable lumbar 3-Way adjustable arms Synchron mechanism with 3 locking positions 700mm aluminium 5 star base Available in black only BIFMA tested Suitable for indoor use only



 ${\it X}$ Do not use as a step ladder

BACK	BACK TO FLOOR	HEADREST	HEADREST TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 415	Lowest: 1005	W:340	Lowest: 1225	W: 490	Lowest: 490	Lowest: 640
H: 560	Highest: 1125	H: 180	Highest: 1380	D: 460	Highest: 610	Highest: 825



Features:

Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable weight tension

Adjustable lumbar 2-Way adjustable arms Moulded seat foam Korean mesh back Synchron mechanism with 3 locking positions 700mm aluminium 5 star base
Available in black only
BIFMA tested
Suitable for indoor use only

ZODIAC RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height. To lower the back height raise back all the way to the top and release slowly


ADJUSTABLE ARMS

RIGHT LEVER

To adjust seat height


700MM ALUMINIUM 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles
Use hard tyred castors for carpet



DIMENSIONS: (mm)

BACK BACK TO FLOOR HEADREST TO FLOOR SEAT SEAT TO FLOOR **ARM TO FLOOR HEADREST** W: 455 Lowest: 990 W:380 Lowest: 1140 Lowest: 515 Lowest: 670 W:500 Highest: 1150 Highest: 1350 Highest: 610 Highest: 840 H: 550 H: 180 D: 490



Adjustable seat height cable controlled Adjustable back height (ratchet) Adjustable seat and back angle cable controlled Adjustable seat depth (seat slider) cable controlled Adjustable weight tension 2-Way adjustable arms
Synchron mechanism with 3 locking positions
700mm aluminium 5 star base
Available in black only
BIFMA tested
Suitable for indoor use only

ERGO-1 RANGE

INSTRUCTION OF USE

To adjust back height hold back with two hands while seated and raise to desired height. To lower the back height raise back all the way to the top and release slowly

RIGHT BACK LEVER

To adjust seat depth (seat slider)

RIGHT FRONT LEVER


To adjust seat height

RIGHT KNOB

To adjust weight tension

700MM ALUMINIUM 5 STAR BASE WITH CASTORS

Use soft tyred castors for tiles Use hard tyred castors for carpet




DIMENSIONS: (mm)

BACK BACK TO FLOOR HEADREST HEADREST TO FLOOR SEAT **SEAT TO FLOOR ARM TO FLOOR** W:530 Lowest: 1110 W:300 Lowest: 1245 W:520 Lowest: 500 Lowest: 660 Highest: 1190 Highest: 1400 Highest: 590 Highest: 820 H: 640 H: 180 D: 500



Adjustable seat height cable controlled
Adjustable back height (ratchet)
Adjustable seat and back angle cable controlled
Adjustable seat depth (seat slider) cable controlled
Adjustable weight tension
Adjustable active lumbar

2-Way adjustable arms
Synchron mechanism with 3 locking positions
700mm aluminium 5 star base
Available in black only
BIFMA tested
Suitable for indoor use only



X Do not use as a step ladder


DIMENSIONS: (mm)

HIGH LOW SEAT TO FLOOR **BACK TO FLOOR** ARM TO FLOOR **BACK BACK TO FLOOR** BACK SEAT Lowest: 660 W: 420 Lowest: 980 W: 420 Lowest: 1110 Lowest: 480 W:510 H: 500 Highest: 1070 H: 660 Highest: 1200 D: 510 Highest: 570 Highest: 830



Adjustable seat height Adjustable seat and back angle Adjustable weight tension Adjustable arms
Synchron mechanism with 3 locking positions
700mm large black nylon 5 star base

Available in black PU only Suitable for indoor use



X Do not use as a step ladder


DIMENSIONS: (mm)

LOW HIGH **BACK TO FLOOR** SEAT TO FLOOR ARM TO FLOOR **BACK BACK TO FLOOR BACK** SEAT Lowest: 680 W:560 Lowest: 980 Lowest: 1150 Lowest: 485 W:560 W:520 Highest: 755 H: 515 Highest: 1055 H: 680 Highest: 1225 Highest: 560 D: 560



Adjustable seat height Adjustable seat and back angle Adjustable weight tension Fixed chrome arms
Knee tilt mechanism with 3 locking positions
700mm aluminium 5 star base

Available in black PU only Suitable for indoor use only



Do not use as a step ladder

DIMENSIONS: (mm)


LOW HIGH **BACK TO FLOOR** SEAT TO FLOOR ARM TO FLOOR **BACK BACK TO FLOOR** BACK SEAT Lowest: 640 Lowest: 1025 W:500 Lowest: 1170 Lowest: 455 W: 480 W:510 H: 580 Highest: 1085 H: 720 Highest: 1230 Highest: 515 Highest: 770 D: 520



Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension
Adjustable aluminium arms

High density foam Synchron mechanism with 3 locking positions 700mm aluminium 5 star base

Available in black PU only Suitable for indoor use only



X Do not use as a step ladder


DIMENSIONS: (mm)

LOW HIGH **BACK TO FLOOR** SEAT TO FLOOR ARM TO FLOOR **BACK BACK TO FLOOR BACK** SEAT Lowest: 510 Lowest: 710 W:500 Lowest: 1045 W:500 Lowest: 1190 W:510 H: 570 Highest: 1125 H: 730 Highest: 1270 Highest: 590 Highest: 790 D: 530



Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension
Fixed aluminium arms

High density foam Knee tilt mechanism with 3 locking positions 700mm aluminium 5 star base Available in black PU only Suitable for indoor use only



X Do not use as a step ladder

DIMENSIONS: (mm)

BACK	BACK TO FLOOR	BACK	BACK TO FLOOR	SEAT	SEAT TO FLOOR	ARM TO FLOOR
W: 460	Lowest: 995	W: 460	Lowest: 1130	W:510	Lowest: 480	Lowest: 650
H: 550	Highest: 1095	H: 685	Highest: 1230	D: 490	Highest: 580	Highest: 840


шсц

1014



Adjustable seat height
Adjustable seat and back angle
Adjustable seat depth (seat slider)
Adjustable weight tension
Adjustable arm

Saddle seat Ribbed back Synchron mechanism with 3 locking positions 700mm black aluminium 5 star base Available in black PU only Suitable for indoor use only




DIMENSIONS: (mm)

LOW HIGH SEAT TO FLOOR **BACK TO FLOOR BACK TO FLOOR** ARM TO FLOOR **BACK** BACK SEAT Lowest: 650 W: 470 Lowest: 910 W: 470 Lowest: 1080 Lowest: 450 W:500 H: 500 Highest: 990 H: 670 Highest: 1160 Highest: 530 Highest: 730 D: 500



Adjustable seat height Adjustable seat and back angle Adjustable weight tension Fixed alloy arms Knee tilt mechanism with 4 locking positions 700mm alloy 5 star base Available in leather only Suitable for indoor use only

MAGNUM RANGE




X Do not use as a step ladder

DIMENSIONS: (mm)

LOW HIGH **BACK TO FLOOR** SEAT TO FLOOR ARM TO FLOOR **BACK BACK BACK TO FLOOR** SEAT Lowest: 660 W:560 Lowest: 1000 W:560 Lowest: 1210 Lowest: 450 W:550 H: 565 Highest: 1070 H: 800 Highest: 1275 Highest: 510 Highest: 730 D: 500







Moulded seat and back foam Knee tilt mechanism with 3 locking positions 700mm aluminium 5 star base Extremely comfortable Available in black leather only Suitable for indoor use only

CAPTAIN RANGE

INSTRUCTION OF USE

INDOOR USE ONLY

RIGHT INNER LEVER

To adjust seat height

RIGHT KNOB

To adjust weight tension

700MM ALUMINIUM 5 STAR BASE WITH CASTORS


Use soft tyred castors for tiles Use hard tyred castors for carpet

LEFT KNOB

To adjust seat and back angle

LEFT INNER LEVER

To adjust seat depth (Seat slider)



DIMENSIONS: (mm)

LOW BACK BACK TO FLOOR

W: 550 Lowest: 970 H: 510 Highest: 1030 HIGH Back

BACK TO FLOOR Lowest: 1150

W: 550 Lowest: 1150 H: 700 Highest: 1210 **SEAT** W: 570 D: 510

SEAT TO FLOOR Lowest: 470

Highest: 530

ARM TO FLOOR

Lowest: 640 Highest: 700





Adjustable seat height
Adjustable seat and back angle
Adjustable weight tension

Adjustable seat depth (seat slider) Synchron mechanism with 3 locking positions 700mm aluminium 5 star base Extremely comfortable Available in black leather only Suitable for indoor use only

FOCUS RANGE



FOC-1



FOC-1A

DIMENSIONS: (mm)

BACK	SEAT	OVERALI
W: 490	W: 465	H: 840
H: 435	D: 440	D: 550
		W:525

ARM W	IDTH	TABLET ARM
Inner:	510	W: 610
Outer:	610	D: 660

ARM TO FLOOR	TABLET ARM TO FLOOR
H: 680	H: 745
	Flip up: 1010







FOC-1TL









Multi purpose stackable client chair Not stackable with tablet arms Optional black metal trolley Linkable except with arms or tablet arm Fully strengthened plastic back shell Fully welded frame BIFMA drop tested Available in black only Suitable for indoor use only Do not use as a step ladder

ARIA RANGE















ARIA-A

ARIA-T

DIMENSIONS: (mm)

BACK	SEAT	OVERALL	ARM WIDTH		TABLET ARM	
W: 475	W: 475		Inner: 525		W:380	TO FLOOR
H: 395	D: 470	D: 515	Outer: 600	H: 655	D: 270	H: 735
		W: 620				

Features:

Stackable
Not stackable with arms or tablet arm
Optional black metal trolley

Linkable without arms or tablet arm Metal frame Available in black only Suitable for indoor use only Do not use as a step ladder

POD RANGE

















POD-SBA



POD-SBT

DIMENSIONS: (mm)

	-					
BACK	SEAT	OVERALL	ARM WIDTH		TABLET ARM	TABLET ARM
W: 420	W: 425	H: 830	Inner: 440	FLOOR	W:380	TO FLOOR
H: 380	D: 400	D: 530	Outer: 540	H: 6/0	D: 280	H: 710
		W: 480				Flip up: 990

Features:

Stackable Not stackable with arm or tablet arm Optional black metal trolley

Linkable except with arms or tablet arm Plastic under pan Available in black only

Suitable for indoor use only Do not use as a step ladder

VINN RANGE







DIMENSIONS: (mm)

 BACK
 SEAT
 OVERALL

 W: 435
 W: 455
 H: 830

 H: 390
 D: 435
 D: 545


 W:530
 W: 530

ARM WIDTH ARM TO FLOOR
Inner: 485 H: 665
Outer: 570


 TABLET ARM
 TABLET ARM TO FLOOR

 W: 380
 H: 695

 D: 290
 Flip up: 900







Linkable except with arms or tablet arm Plastic under pan Solid steel sled base frame Available in black only Suitable for indoor use only Do not use as a step ladder







NEO RANGE











Features:

Stackable Square tube Mesh back Padded seat Black metal frame Available in black only Suitable for indoor use only Do not use as a step ladder

DIMENSIONS: (mm)

OVERALL BACK **SEAT SEAT TO** FLOOR W: 450 W:415 H: 830 H: 450 H: 400 D: 450 D: 500 W: 440

ROSE RANGE







Back view







Features:

Soft padding Polyurethane arm pads Chrome finish Fully welded frame

Available in black PU only Suitable for indoor use only Do not use as a step ladder

DIMENSIONS: (mm)

BACK SEAT W: 470 W: 500 H: 470 D: 450

SEAT TO ARM TO **FLOOR** H: 500

FLOOR H: 700

OVERALL H: 940

D: 550

W:570

RAVEN RANGE







Back view







Features:

Fully upholstered High density foam Sled base chrome frame Plywood shell Available in Sega charcoal only Suitable for indoor use only Do not use as a step ladder

DIMENSIONS: (mm)

BACK SEAT W: 450 W: 470 H: 400 D: 410


SEAT TO FLOOR H: 455 OVERALL H: 855 D: 500

W:590

MIA RANGE













Features:

Fully upholstered High density foam Sled black frame Plywood shell Available in black PU only Suitable for indoor use only Do not use as a step ladder

DIMENSIONS: (mm)

		<u>-</u>	
BACK	SEAT	SEAT TO	OVERALL
W: 470	W: 440	FLOOR	H: 855
H: 415	D: 480	H: 485	D: 550
			W: 575

TONIC RANGE







Side view



Back view







Features:

Fully upholstered High density seat foam Moulded back foam Solid rod Sled base chrome frame Available in Sega charcoal only Suitable for indoor use only Do not use as a step ladder

DIMENSIONS: (mm)

SHELL	SEAT		
W: 640	W: 475		
H: 390	D: 490		

SEAT TO FLOOR H: 450 OVERALL H: 755 D: 500

W: 590

OSCAR RANGE







Back view







Features:

High density foam Sled base chrome frame Plywood shell

Available in Sega charcoal only Suitable for indoor use only Do not use as a step ladder

DIMENSIONS: (mm)

SHELL SEAT W: 650 W:580 H: 400 D: 450 **SEAT TO FLOOR** H: 500

OVERALL H: 820

> D: 500 W:590

RAM RANGE



RAM





Front view Back view







Features:

Fully upholstered High density foam Plywood structure Available in black PU only Suitable for indoor use only Do not use as a step ladder

DIMENSIONS: (mm)

OVERALL H: 690 D: 740

SEAT W: 500

W: 500 D: 500

0 0 H: 370

SEAT TO FLOOR

W:760

NOX RANGE




NOX





Front view B

Features:



Available in black PU only Suitable for indoor use only Do not use as a step ladder

Year





DIMENSIONS: (mm)

OVERALL	SEAT	SEAT TO
H: 665	W: 500	FLOOR
D: 735	D: 500	H: 325
W:730		

BLITZ RANGE







Side view



Back view







Features:

High density foam Zig zag steel spring Plywood frame Chrome feet Available in black PU Suitable for indoor use only Do not use as a step ladder

DIMENSIONS: (mm)

BACK SEAT W: 600 W: 610 H: 350 D: 525


SEAT TO FLOOR H: 410 OVERALL H: 750

D: 750 W: 560

RIVET RANGE







Front view





Features:

High density foam Stainless steel frame Solid timber inner frame Available in black PU only Suitable for indoor use only Do not use as a step ladder

DIMENSIONS: (mm)

ARM TO FLOOR RIVET-1 630mm W: 650mm H: 810mm **SEAT TO FLOOR** D: 690mm 435mm

JADEN RANGE















Features:

High density foam Stainless steel frame Solid timber inner frame Available in black PU only Suitable for indoor use only Do not use as a step ladder

DIMENSIONS: (mm)

 JADEN-1
 JADEN-2

 W: 730mm
 W: 1390mm

 H: 810mm
 H: 810mm

 D: 730mm
 D: 730mm

ARM TO FLOOR 630mm

SEAT TO FLOOR 450mm





Pocket spring seat Loose cushions upholstered both sides Zig zag steel spring Webbed base Solid hardwood frame

Stainless steel feet Available in black PU ony Suitable for indoor use only

DIMENSIONS: (mm)

PL-1 PL-2 PL-3 W: 835mm W: 1400mm W: 1970mm H: 740mm H: 740mm H: 740mm D: 790mm D: 790mm D: 790mm

ARM TO FLOOR 655mm


390

130 260 Kilogram

SEAT TO FLOOR 475mm

109

STATE RANGE



Keep a permanent contact between base of chair and floor

X Do not use as a step ladder

DIMENSIONS: (mm)

ST001 **SEAT** DI: 330

SEAT TO FLOOR Lowest: 415 Highest: 555

BACK TO FLOOR Lowest: 550 Highest: 690

ST007 **SEAT TO FLOOR** SEAT

W: 460 Lowest: 440 Highest: 580

ST007 **BACK** W: 405

H: 310

BACK TO FLOOR

Lowest: 710 Highest: 990 **ST008** SEAT

SEAT TO FLOOR

INDOOR USE ONLY

DI: 340 Lowest: 410 Highest: 550



Adjustable seat height
Adjustable back height (ST007 only)
Adjustable seat angle (ST007 only)
Optional glides or brake castors


600mm black nylon 5 star base Available in black only Suitable for indoor use only Do not use as a step ladder



Optional drafting kit

CAD RANGE

INSTRUCTION OF USE



Features:

Adjustable seat height
Adjustable seat angle
Optional glides or brake castors
Saddle seat

CAD

640mm black nylon 5 star base Available in black PU only Do not use as a step ladder



Optional drafting kit


DIMENSIONS: (mm)

SEAT TO FLOOR W: 390 Lowest: 530


D: 410 Highest: 640

STAGE RANGE





Features:



Saddle seat 640mm black nylon 5 star base Available in black PU only Do not use as a step ladder



Optional drafting kit

DIMENSIONS: (mm)

 BACK
 BACK TO FLOOR

 W: 430
 Lowest: 875

 H: 340
 Highest: 985

SEAT SEAT TO FLOOR

W: 390 Lowest: 530 D: 410 Highest: 640



A: Unit 5/47 Albert Rd, East Bunbury WA 6230

P: 08 9721 6677

E: admin@voguefurniture.com.au

W: voguefurniture.com.au